

# Safety Data Sheet

Issue Date: 19-Dec-2011

Revision Date: 23-Aug-2022

Version 2

## 1. IDENTIFICATION

### Product identifier

**Product Name** Outlast OXO Cleaner

### Other means of identification

**SDS #** CTA-004

### Recommended use of the chemical and restrictions on use

**Recommended Use** Wood cleaning and restoring.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

CTA Products Group  
1899 Kings Castle Drive  
Southaven, MS 38671  
www.OutlastCTA.com

### Emergency telephone number

**Company Phone Number** Phone: 901-647-6909  
Fax: 662-349-2286  
**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear mobile liquid

**Physical state** Liquid

**Odor** Mild

### Classification

Serious eye damage/eye irritation

Category 1

### Signal Word

**Danger**

### Hazard statements

Causes serious eye damage



### Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a poison center or doctor/physician

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%
Oxalic acid	144-62-7	Proprietary
Glycolic Acid	79-14-1	Proprietary

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

**4. FIRST AID MEASURES****Description of first aid measures**

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
<b>Skin Contact</b>	Wash off immediately with plenty of water. Take off contaminated clothing and wash it before reuse. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands. If skin irritation persists, call a physician.
<b>Inhalation</b>	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
<b>Ingestion</b>	IF SWALLOWED: call a poison control center or physician immediately. Never give anything by mouth to an unconscious person. Drink plenty of water or milk immediately. Do not induce vomiting unless directed by medical personnel. If vomiting occurs, lean patient forward to maintain an open airway & prevent aspiration. Get immediate medical attention.

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Causes serious eye damage. Exposed individuals may experience eye tearing, redness and discomfort. Causes skin irritation. Inhalation may cause irritation of respiratory tract. Prolonged breathing of vapors may cause nausea, headache, weakness and/or dizziness. Skin contact may aggravate an existing dermatitis. Conjunctivitis. May be harmful if swallowed. Ingestion causes acute irritation and burns to the mucous membranes of the mouth, trachea, esophagus and stomach.
-----------------	---

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool fire-exposed containers.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Non-flammable. Will react with some metals (e.g. aluminum, tin, zinc) to form flammable hydrogen gas.

**Hazardous combustion products** Toxic fumes.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protective equipment as required.

### Environmental precautions

**Environmental precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** For small spills: flush with ample water, rinse with soda ash solution, then final rinse with water.  
For large spills: contain the spill. Dilute with water; neutralize with soda ash.  
Spills may then be allowed to be flushed to sewer IF THIS IS PERMITTED BY LOCAL/STATE AUTHORITIES.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only outdoors or in a well-ventilated area.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store in closed containers at temperatures above 50°F/ 10°C. Do not store at temperatures above 120°F. Protect from excessive heat. Drum is not a pressure vessel; never use pressure to empty. Shelf life 18 months. Protect from freezing.

**Incompatible Materials** Soft metals. Metals such as aluminum, tin, and zinc. Strong alkalis. Bleach.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Oxalic acid 144-62-7	STEL: 2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup> (vacated) STEL: 2 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Local exhaust is suggested for use, where possible, in enclosed or confined spaces. Eyewash stations. Showers.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Goggles and face shield as needed to prevent eye and face contact.

**Skin and Body Protection** Rubber or neoprene gloves. Boots and aprons as needed for protection against spills and/or splashes.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid	<b>Odor</b>	Mild
<b>Appearance</b>	Clear mobile liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Clear		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting point / freezing point	0 °C / 32 °F	
Boiling point / boiling range	> 100 °C / >212 °F	
Flash point	Non-flammable	
Evaporation Rate	1	(n-BuAc =1)
Flammability (Solid, Gas)	Liquid-not applicable	
Flammability Limit in Air		
Upper flammability or explosive limits	Not applicable	
Lower flammability or explosive limits	Not applicable	
Vapor Pressure	Unknown	
Vapor Density	Unknown	
Relative Density	1.060	@ 60°F (ASTM D 1298)
Water Solubility	Soluble in water	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Autoignition temperature	Not determined	
Decomposition temperature	Not determined	
Kinematic viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	

### Other information

VOC Content	0.18 lb/gal, 11.12 gm/L
Liquid Density	8.33 Lb/gal

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

Can react with strong alkali or hypochlorite bleach.

**Hazardous Polymerization** Hazardous polymerization does not occur.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible materials

Soft metals. Metals such as aluminum, tin, and zinc. Strong alkalis. Bleach.

**Hazardous decomposition products**

None known based on information supplied.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information**

<b>Eye Contact</b>	Causes serious eye damage.
<b>Skin Contact</b>	Avoid contact with skin.
<b>Inhalation</b>	Avoid breathing vapors or mists.
<b>Ingestion</b>	May be harmful if swallowed.

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Oxalic acid 144-62-7	= 375 mg/kg ( Rat )	= 20000 mg/kg ( Rat )	-
Glycolic Acid 79-14-1	= 1950 mg/kg ( Rat )	-	> 5.2 mg/L ( Rat ) 4 h = 3.6 mg/L ( Rat ) 4 h
Alcohol Ethoxylate 68439-46-3	= 1400 mg/kg ( Rat )	-	-

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Symptoms</b>	Please see section 4 of this SDS for symptoms.
-----------------	--

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Carcinogenicity</b>	Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
------------------------	---

**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

<b>Oral LD50</b>	3,421.10 mg/kg
<b>Dermal LD50</b>	11,000.00 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	30.00 mg/L

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Oxalic acid 144-62-7			125 - 150: 48 h Daphnia magna mg/L EC50 Static
Glycolic Acid 79-14-1		5000: 96 h Brachydanio rerio mg/L LC50 static	

**Persistence/Degradability**

Biodegradable.

**Bioaccumulation**

There is no data for this product.

**Mobility**

Chemical name	Partition coefficient
Oxalic acid 144-62-7	-0.81
Glycolic Acid 79-14-1	-1.11

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical name	California Hazardous Waste Status
Oxalic acid 144-62-7	Toxic

**14. TRANSPORT INFORMATION****Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

Not regulated

**IATA**

Not regulated

**IMDG**

Not regulated

**15. REGULATORY INFORMATION****International Inventories**

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Oxalic acid	X	ACTIVE	X	X	X	X	X	X	X
Glycolic Acid	X	ACTIVE	X	X	X	X	X	X	X
Alcohol Ethoxylate	X	ACTIVE	X		X	X	X	X	X

**Legend:***TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances**AICS - Australian Inventory of Chemical Substances*

**US Federal Regulations****CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Oxalic acid 144-62-7	X	X	X

**16. OTHER INFORMATION****NFPA****Health Hazards**

2

**Flammability**

0

**Instability**

0

**Special Hazards**

None

**HMIS****Health Hazards**

Not determined

**Flammability**

Not determined

**Physical hazards**

Not determined

**Personal Protection**

Not determined

**Issue Date:**

19-Dec-2011

**Revision Date:**

23-Aug-2022

**Revision Note:**

Regulatory review

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**