

Safety Data Sheet

Review Date: 5-16-2022

1. IDENTIFICATION

Product Identifier

Product Name Outlast Q8 Log Oil (Colors)

Other means of identification

SDS # CTA-007

Recommended use of the chemical and restrictions on use – See Section 15 for EPA information

Recommended Use EPA registered wood preservative EPA Reg #81819-1

Details of the supplier of the safety data sheet

Supplier Address

CTA Products Group
1899 Kings Castle Drive
Southaven, MS 38671
www.OutlastCTA.com

Emergency Telephone Number

Company Phone Number Phone: 901-647-6909
Fax: 662-349-2286
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Slightly viscous, pigmented liquid **Physical State** Liquid **Odor** Mild petrochemical odor

Classification

Acute toxicity - Inhalation (Vapors)	Category 3
Aspiration toxicity	Category 1

Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

Signal Word

Danger

Hazard Statements

Toxic if inhaled
May be fatal if swallowed and enters airways



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
Immediately call a poison center or doctor/physician
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
Do not induce vomiting

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

Unknown Acute Toxicity

13.4% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Petroleum distillates, hydrotreated light	64742-47-8	Proprietary
Oxine Copper	10380-28-6	Proprietary
Paraffin Emulsion	8002-74-2	Proprietary

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash off immediately with plenty of water. Take off contaminated clothing and wash it before reuse. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands. If skin irritation persists, call a physician.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. If breathing is irregular or stopped, administer artificial respiration. Immediately call a poison center or doctor/physician.
Ingestion	Do not induce vomiting. Do not induce vomiting unless directed by medical personnel. If vomiting occurs, lean patient forward to maintain an open airway & prevent aspiration. Get immediate medical attention.

Most important symptoms and effects**Symptoms**

Exposed individuals may experience eye tearing, redness and discomfort. May cause skin irritation. Inhalation may cause irritation of respiratory tract. Prolonged breathing of vapors may cause nausea, headache, weakness and/or dizziness. Prolonged or repeated exposure by inhalation or ingestion may affect behavior/central nervous system. Skin contact may aggravate an existing dermatitis. Conjunctivitis. May cause nausea, vomiting and/or diarrhea if ingested.

Indication of any immediate medical attention and special treatment needed**Notes to Physician**

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical. Foam. Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion Products Burning will produce toxic fumes and gases.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures**Personal Precautions**

Use personal protective equipment as required. Ventilate affected area. Remove all sources of ignition.

Environmental Precautions

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Methods and material for containment and cleaning up**Methods for Containment**

Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

For small spills: recover any free liquid and pick up the remainder with granular clay or sand. For large spills: eliminate any sources of ignition and dike the area to contain the spill. Recover as much liquid as possible by use of an explosion-proof sump pump or other similar means. Reuse as much material as possible. Pick up the remainder using granular clay or sand.

7. HANDLING AND STORAGE

Precautions for safe handling**Advice on Safe Handling**

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Do not store at temperatures above 120°F. Drum is not a pressure vessel; never use pressure to empty. Shelf life: Indefinite if kept dry and store in unopened containers at recommended temperatures. Store locked up.

Incompatible Materials Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light 64742-47-8	100 ppm	500 ppm	-
Oxine Copper 10380-28-6	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Cu dust and mist
Paraffin Emulsion 8002-74-2	TWA: 2 mg/m ³ fume	(vacated) TWA: 2 mg/m ³	TWA: 2 mg/m ³ fume

Appropriate engineering controls

Engineering Controls Local exhaust is suggested for use, where possible, in enclosed or confined spaces. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Goggles and face shield as needed to prevent eye and face contact.

Skin and Body Protection Rubber or neoprene gloves. Boots and aprons as needed for protection against spills and/or splashes.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid
Appearance Slightly viscous, pigmented liquid
Color Color varies with specific pigmentation

Odor Mild petrochemical odor
Odor Threshold Not determined

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	Not determined	
Melting Point/Freezing Point	Not available	
Boiling Point/Boiling Range	154 °C / 310 °F	
Flash Point	> 121 °C / >250 °F	
Evaporation Rate	< 1	Pensky-Martens Closed Cup (PMCC) (butyl acetate = 1)
Flammability (Solid, Gas)	Liquid-not applicable	
Upper Flammability Limits	Unknown	
Lower Flammability Limit	Unknown	
Vapor Pressure	<1 mmHg	
Vapor Density	Unknown	
Specific Gravity	0.895	(1=Water)
Water Solubility	Insoluble in water	

Solubility in other solvents	Not determined
Partition Coefficient	Not determined
Auto-ignition Temperature	Not determined
Decomposition Temperature	Not determined
Kinematic Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined
VOC Content	<250 gm/L
Density	7.09 lb/gal

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Toxic if inhaled.

Ingestion May be harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Oxine Copper 10380-28-6	= 9930 mg/kg (Rat)	> 2 g/kg (Rabbit)	-
Paraffin Emulsion 8002-74-2	> 3750 mg/kg (Rat)	> 3600 mg/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Oxine Copper 10380-28-6		Group 3		

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Aspiration hazard May be fatal if swallowed and enters airways.

Numerical measures of toxicity

Not determined

Unknown Acute Toxicity 13.4% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum distillates, hydrotreated light 64742-47-8		45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static		4720: 96 h Den-dronereides heteropoda mg/L LC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Oxine Copper 10380-28-6	Toxic

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

IMDG
Marine Pollutant This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Not determined

Legend:

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Oxine Copper - 10380-28-6	10380-28-6	Proprietary	1.0

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Oxine Copper 10380-28-6 (Proprietary)		X		

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Oxine Copper 10380-28-6	X		X
Paraffin Emulsion 8002-74-2	X	X	X

EPA Pesticide Registration Number 81819-1

16. OTHER INFORMATION

NEPA**Health Hazards**

2

Flammability

0

Instability

0

Special Hazards

None

HMIS**Health Hazards**

Not determined

Flammability

Not determined

Physical Hazards

Not determined

Personal Protection

Not determined

Issue Date: 01-Mar-2011
Revision Date: 24-Jan-2014
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Safety Data Sheet

Review Date: 5-15-2022

1. IDENTIFICATION

Product Identifier

Product Name Outlast Q8 Log Oil (Clear)

Other means of identification

SDS # CTA-006

Recommended use of the chemical and restrictions on use – See Section 15 for EPA information **EPA REG # 81819-1**

Details of the supplier of the safety data sheet

Supplier Address

CTA Products Group
1899 Kings Castle Drive
Southaven, MS 38671
www.OutlastCTA.com

Emergency Telephone Number

Company Phone Number

Phone: 662-536-1446

Fax: 662-349-2286

Emergency Telephone (24 hr)

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Please see Section 15 for additional EPA information.

Appearance Clear, slightly viscous liquid

Physical State Liquid

Odor Mild petrochemical odor

Classification

Aspiration toxicity

Category 1

Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

Signal Word

Danger

Hazard Statements

May be fatal if swallowed and enters airways



Precautionary Statements – Prevention

Avoid breathing mist, vapors or spray. Use only outdoors or in a well ventilated area.

Precautionary Statements - Response

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do not induce vomiting. IF INHALED; Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

Unknown Acute Toxicity

13.4% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Petroleum Distillates, Hydrotreated light	64742-47-8	Proprietary
Oxine Copper	10380-28-6	Proprietary
Paraffin Emulsion	8002-74-2	Proprietary

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash off immediately with plenty of water. Take off contaminated clothing and wash it before reuse. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands. If skin irritation persists, call a physician.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. If breathing is irregular or stopped, administer artificial respiration. Immediately call a poison center or doctor/physician.
Ingestion	Do not induce vomiting. Do not induce vomiting unless directed by medical personnel. If vomiting occurs, lean patient forward to maintain an open airway & prevent aspiration. Get immediate medical attention.

Most important symptoms and effects

Symptoms	Exposed individuals may experience eye tearing, redness and discomfort. May cause skin irritation. Inhalation may cause irritation of respiratory tract. Prolonged breathing of vapors may cause nausea, headache, weakness and/or dizziness. Prolonged or repeated exposure by inhalation or ingestion may affect behavior/central nervous system. Skin contact may aggravate an existing dermatitis. Conjunctivitis. May cause nausea, vomiting and/or diarrhea if ingested.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Carbon dioxide (CO₂). Dry chemical. Foam. Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion Products Burning will produce toxic fumes and gases.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions Use personal protective equipment as required. Ventilate affected area. Remove all sources of ignition.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up For small spills: recover any free liquid and pick up the remainder with granular clay or sand. For large spills: eliminate any sources of ignition and dike the area to contain the spill. Recover as much liquid as possible by use of an explosion-proof sump pump or other similar means. Reuse as much material as possible. Pick up the remainder using granular clay or sand.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Do not store at temperatures above 120°F. Drum is not a pressure vessel; never use pressure to empty. Shelf life: Indefinite if kept dry and store in unopened containers at recommended temperatures. Store locked up.

Incompatible Materials Strong oxidizing agents.

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light 64742-47-8	100 ppm	500 ppm	-
Oxine Copper 10380-28-6	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Cu dust and mist
Paraffin Emulsion 8002-74-2	TWA: 2 mg/m ³ fume	(vacated) TWA: 2 mg/m ³	TWA: 2 mg/m ³ fume

Appropriate engineering controls

Engineering Controls Local exhaust is suggested for use, where possible, in enclosed or confined spaces. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Goggles and face shield as needed to prevent eye and face contact.

Skin and Body Protection Rubber or neoprene gloves. Boots and aprons as needed for protection against spills and/or splashes.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation wear respiratory protection.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Mild petrochemical odor
Appearance	Clear, slightly viscous liquid	Odor Threshold	Not determined
Color	Clear		
Property	Values	Remarks • Method	
pH	Not determined		
Melting Point/Freezing Point	Not available		
Boiling Point/Boiling Range	154 °C / 310 °F		
Flash Point	> 121 °C / >250 °F	Pensky-Martens Closed Cup (PMCC)	
Evaporation Rate	< 1	(butyl acetate = 1)	
Flammability (Solid, Gas)	Liquid-not applicable		
Upper Flammability Limits	Unknown		
Lower Flammability Limit	Unknown		
Vapor Pressure	<1 mmHg		
Vapor Density	Unknown		
Specific Gravity	0.895	(1=Water)	
Water Solubility	Insoluble in water		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		
VOC Content	<250 gm/L		
Density	6.972 – 7.09 lb/gal		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

11. TOXICOLOGICAL INFORMATION

None known.

Information on likely routes of exposure

Product Information

Eye Contact

Avoid contact with eyes.

Skin Contact

May be harmful in contact with skin.

Inhalation

Avoid breathing vapors or mists.

Ingestion

Potential for aspiration if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum Distillates, Hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h
Oxine Copper 10380-28-6	= 9930 mg/kg (Rat)	> 2 g/kg (Rabbit)	-
Paraffin Emulsion 8002-74-2	> 3750 mg/kg (Rat)	> 3600 mg/kg (Rabbit)	-

Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Group 3 IARC components are "not classifiable as human carcinogens" *IARC (International Agency for Research on Cancer)*
Group 3 IARC components are "not classifiable as human carcinogens"

Chemical Name	ACGIH	IARC	NTP	OSHA
Oxine Copper 10380-28-6		Group 3		

Aspiration hazard May be fatal if swallowed and enters airways.

Numerical measures of toxicity

Not determined

Unknown Acute Toxicity 13.4% of the mixture consists of ingredient(s) of unknown toxicity.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

22.4% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Petroleum Distillates, Hydrotreated light 64742-47-8		45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Oxine Copper 10380-28-6	Toxic

14. TRANSPORT INFORMATION

Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG	
Marine Pollutant	This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations EPA Registered Wood Preservative EPA Reg #81819-1 See Statement below.

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Oxine Copper - 10380-28-6	10380-28-6	Proprietary	1.0

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Oxine Copper 10380-28-6 (Proprietary)		X		

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Oxine Copper 10380-28-6	X		X
Paraffin Emulsion 8002-74-2	X	X	X

EPA Pesticide Registration Number 81819-1

EPA Statement

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

CAUTION: Causes moderate eye irritation. Harmful if inhaled, swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Difference between SDS and EPA pesticide label

	EPA	OSHA
Signal Word	Caution	Danger
Acute Toxicity- Inhalation	Harmful if inhaled	n/a
Acute Toxicity- Oral	Harmful if swallowed	n/a
Acute Toxicity- Dermal	Harmful if absorbed through the skin	May be harmful in contact with skin
Aspiration Toxicity	Vomiting may cause aspiration pneumonia	May be fatal if swallowed and enters airways

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazards 2	Flammability 0	Instability 0	Special Hazards None
<u>HMIS</u>	Health Hazards Not determined	Flammability Not determined	Physical Hazards Not determined	Personal Protection Not determined

Issue Date: 01-Mar-2011
Revision Date: 24-Jan-2014
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the time of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet